
APPENDIX E:

UNIVERSAL PAIN ASSESSMENT TOOL



Source: Hybrid of scales by authors. Wong-Baker FACES® Pain Scale Rating license grants this use. Reproduction of the Wong-Baker FACES® material requires licensing at www.wongbakerfaces.org.

PEDIATRIC PAIN ASSESSMENT TOOL

Appropriate age: Less than 4 years old

PEDIATRIC PAIN ASSESSMENT SCORING			
Categories	0	1	2
FACE	No particular expression or smile	Occasional grimace or frown; withdrawn; disinterested.	Frequent to constant frown, clenched jaw, quivering chin
LEGS	Normal position or relaxed	Uneasy, restless, tense	Kicking, or legs drawn up
ACTIVITY	Lying quietly, normal position, moves easily	Squirming, shifting back and forth, tense	Arched, rigid or jerking
CRY	No cry (awake or asleep)	Moans or whimpers, occasional complaint	Crying steadily, screams or sobs, frequent complaints
CONSOLABILITY	Content; Relaxed	Reassured by occasional touching, hugging, or being talked to; distractible	Difficult to console or comfort

Each of the five categories (F) Face; (L) Legs; (A) Activity; (C) Cry; (C) Consolability is scored from 0-2 which results in a total score between zero and ten.

- 0 = Relaxed and comfortable
- 1-3 = Mild discomfort
- 4-6 = Moderate pain
- 7-10 = Severe discomfort/pain